



# HOOGHLY RIVER BRIDGE COMMISSIONERS

(A STATUTORY ORGANISATION UNDER GOVT. OF WEST BENGAL)

MUNSHI PREM CHAND SARANI

(ST. GEORGES GATE ROAD)

KOLKATA – 700 021

Tele Fax no: 91-33-2248-6787.

**Memo No: - HRBC/2M -89/2026/JPM(W)/BNS/229**

**Dated. 30.09.2026.**

## NOTICE INVITING TENDER

**N. I. T. NO.: HRBC/JPM(W)/BNS/03 of 2026-27.**

Sealed tenders in the prescribed form are invited for the following works from eligible tenderers as per particulars below and will be received by the Joint Project Manager (Works) up to the time specified here in.

|                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Name of work                                                                       | SL-1) "Patch repair of wearing course of Gariahat Flyover for 6(Six) Months<br>SL-2) Patch repair of wearing course of Cossipore Lock Gate flyover for 6(Six) Months.<br>SL-3) Patch repair of wearing course of Paramhansa Flyover at Nagerbazar for 6(Six) Months.<br>SL-4) Patch repair of wearing course of Park Street flyover for 6(Six) Months.<br>SL-5) Patch repair of wearing course of AJC Racecourse Junction to Ramp 2, 2A & 2C of Vidyasagar Setu for 6(Six) Months.<br>SL-6) Patch repair of wearing course of Ramp 2A Junction to Main Bridge Junction of Vidyasagar Setu for 6(Six) Months.<br>SL-7) Patch repair of wearing course of Ramp 2B,2D & 3 Of Vidyasagar Setu for 6(Six) Months.<br>SL-8) Patch repair of wearing course of Main Bridge Junction to Down Ramp 1A Junction Of Vidyasagar Setu for 6(Six) Months.<br>SL-9) Patch repair of wearing course of Ramp 1A Junction to Ramp 1 & 1B Junction Of Vidyasagar Setu for 6(Six) Months.<br>SL-10) Patch repair of wearing course of Ramp 1A Junction to Racecourse End point Of Vidyasagar Setu for 6(Six) Months. |
| 2. Name of the Officer with address                                                   | Joint Project Manager (Works), H. R. B. C.<br>St. Georges Gate Road.(Munshi Prem Chand Sarani)<br>Kolkata – 700 021.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 3. Contractor eligible to submit Tender                                               | Reliable, resourceful & bonafide Contractors having experience in executing Similar nature of work of at least 40% of estimated cost through single contract within last 5 (Five) years in PWD /CPWD/ Railways / KMDA/ KMC/HRBC etc.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 4. Estimated cost of the Works                                                        | SL-1)Rs. 99636.63 SL-2) Rs. 99636.63 SL-3) Rs. 99636.63<br>SL-4) Rs. 99636.63 SL-5) Rs. 99636.63 SL-6) Rs. 99636.63<br>SL-7) Rs. 99636.63 SL-8) Rs. 99636.63 SL-9) Rs. 99636.63<br>SL-9) Rs. 99636.63                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 5. Earnest Money                                                                      | SL-1)Rs.1,993.00 SL-2)Rs.1,993.00 SL-3)Rs.1,993.00 SL-4)Rs.1,993.00<br>SL-5)Rs.1,993.00 SL-6)Rs.1,993.00 SL-7)Rs.1,993.00 SL-8)Rs.1,993.00<br>SL-9)Rs.1,993.00 SL-10)Rs.1,993.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 6. Form in which tender is to be submitted.                                           | In the prescribed form of H. R. B. C. along with schedule of items.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 7. Price per set of Tender documents                                                  | Rs. 250.00 each.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 8. Last date for receipt of application for permission of purchasing Tender documents | <b>07.10.2026 upto 2:00 p.m.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 9. Last date of sale of Tender documents                                              | <b>09.10.2026 upto 3:00 p.m.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|     |                                                |   |                                                     |
|-----|------------------------------------------------|---|-----------------------------------------------------|
| 10. | Last date and time limit for receipt of Tender | : | <b>12.10.2026 upto 3:00 p.m.</b>                    |
| 11. | Date & time for opening of Tender              | : | <b>12.10.2026 at 3:30 p.m.</b>                      |
| 12. | Time allowed for completion of work            | : | 02 (Two) Days.                                      |
| 13. | Rates applicable                               | : | As per priced schedule.                             |
| 14. | Validity of tender                             | : | 4 (Four) months from the date of opening of tender. |

Intending tenderers will have to produce self attest copies PAN, GST, PTAX registration certificate, Trade License and proper credential of similar nature of work.

Tax invoice(s) needs to be issued by the supplier for raising claim under the contract showing separately the amount of SGST & CGST in accordance with the provisions of GST Act, 2017.

Rate to be quoted by quotationers/ Tenderers will be exclusive of GST and labour welfare Cess.

Intending tenderers will have to furnish contact no. (Including Mobile no.) in their application for any hearing if needed at any point of time.

"As per the Gazette Notification No. 1140 PRD-33011/1/2024-MGNREGA SEC dated 07.03.2024 of P&RD Department, it is mandatory to engage Job Card Holders, who are registered under MGNREGS, as unskilled workers for execution of awarded works and also to comply the provisions as laid down in the above stated notification".

If for any unforeseen circumstances, the office remains close or non- functioning on the dates mentioned in sl.8 ,9,10,11 of this NIT, the said dates will automatically change without any further notice to the next working day immediately following such incidents, the time remaining the same.

The HRBC reserve the right to accept or reject any or all the tenders without assigning any reason thereof.

*B.N. Sahoo 30/09/26*

(B.N. Sahoo)

**Joint Project Manager (Works).**

**Memo No: - HRBC/2M-89/2026/JPM(W)/BNS/229/1(6)**

Copy forwarded to: -

**Dated. 30.09.2026.**

1. Secretary, HRBC.
2. , Chief Project Manager, HRBC.
3. F. A. & C. A. O. HRBC.
4. Project Manager (Works), HRBC
5. Notice Board, HRBC.
6. HRBC Official website.

*B.N. Sahoo 30/09/26*


(B.N. Sahoo)

**Joint Project Manager (Works).**

## Price Schedule

Price Schedule for the work of "Patch repair of wearing course of Gariahat Flyover for 6(Six) Months". SL-1

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202) Bituminous courses.                                                                                                                                                                                         | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unseviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                    | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.                                                                                                                                                                                                                                         | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |
| Say Amount             |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99637.00     |

  
**Bholanath Sahoo**  
 Joint Project Manager (Works)

## Price Schedule

Name of the work:-Patch repair of wearing course of Cossipore Lock Gate flyover for 6(Six) Months SL-2


| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 02) Bituminous courses                                                                                                                                                                                           | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unseviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                    | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.<br>(complete rate)                                                                                                                                                                                                                      | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |

Bakoo 30/09/26  
**Bholanath Sahoo**  
 Joint Project Manager (Works)

### Price Schedule

Name of the work:-Patch repair of wearing course of Paramhansa Flyover at Nagerbazar for 6(Six) Months. SL-3

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202)<br>Bituminous courses                                                                                                                                                                                       | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                   | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.<br>(complete rate)                                                                                                                                                                                                                      | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |
| Say Amount             |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99637.00     |

  
**Bholanath Sahoo**  
 Joint Project Manager (Works)

Price Schedule

Name of the work: -Patch repair of wearing course of Park Street flyover for 6(Six) Months. SL-4

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202)<br>Bituminous courses                                                                                                                                                                                       | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unseviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                    | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.                                                                                                                                                                                                                                         | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |
|                        |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          |            |              |

*Bholanath Sahoo 30/09/26*

**Bholanath Sahoo**  
Joint Project Manager (Works)

### Price Schedule

Name of the work:-Patch repair of wearing course of AJC Racecourse Junction to Ramp 2, 2A & 2C of Vidyasagar Setu for 6(Six) Months. SL-5

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202)<br>Bituminous courses                                                                                                                                                                                       | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                   | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.<br>(complete rate)                                                                                                                                                                                                                      | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |


*Bholanath Sahoo* 30/09/26

**Bholanath Sahoo**  
Joint Project Manager (Works)

## Price Schedule

Name of the work:-Patch repair of wearing course of Ramp 2A Junction to Main Bridge Junction of Vidyasagar Setu for 6(Six) Months. SL-6

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202)                                                                                                                                                                                                             | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unseviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                    | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.                                                                                                                                                                                                                                         | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |

  
**Bholanath Sahoo**  
 Joint Project Manager (Works)

### Price Schedule

Name of the work:-Patch repair of wearing course of Ramp 2B,2D & 3 Of Vidyasagar Setu for 6(Six) Months. SL-7

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202) Bituminous courses                                                                                                                                                                                          | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unseviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                    | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.<br>(complete rate)                                                                                                                                                                                                                      | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |


*Bholanath Sahoo* 30/09/26

**Bholanath Sahoo**  
Joint Project Manager (Works)

## Price Schedule

Name of the work: -Patch repair of wearing course of Main Bridge Junction to Down Ramp 1A Junction Of Vidyasagar Setu for 6(Six) Months. SL-8

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202)<br>Bituminous courses                                                                                                                                                                                       | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unseviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                    | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.<br>(complete rate)                                                                                                                                                                                                                      | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |

  
**Bholanath Sahoo**  
 Joint Project Manager (Works)

### Price Schedule

Name of the work:-Patch repair of wearing course of Ramp 1A Junction to Ramp 1 & 1B Junction Of Vidyasagar Setu for 6(Six) Months. SL-9


| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202)<br>Bituminous courses                                                                                                                                                                                       | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                   | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.<br>(complete rate)                                                                                                                                                                                                                      | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |

Bholanath Sahoo 30/09/26  
**Bholanath Sahoo**  
 Joint Project Manager (Works)

### Price Schedule

Name of the work:-Patch repair of wearing course of Ramp 1A Junction to Racecourse End point Of Vidyasagar Setu for 6(Six) Months. SL-10

| Sl. No.                | Description of work                                                                                                                                                                                                                                                                                                                                                                                                          | Unit | Quantity | Rate (Rs.) | Amount (Rs.) |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|------------|--------------|
| 1                      | Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately (Reference to MoRT&H's specification clause 202)<br>Bituminous courses                                                                                                                                                                                       | cum  | 1.05     | 976.86     | 1025.70      |
| 2                      | Disposal of building rubbish/ malba/ similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.                                                                                                                   | cum  | 1.05     | 313.32     | 328.99       |
| 3                      | <b>Tack Coat</b><br>Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS: 8887-1978 on the prepared surface cleaned with Hydraulic broom, moistening the surface including cost and carriage of emulsion, hire charges of machinery and labour, cost of fuel and lubricants all complete as per Clause 503 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). | Sqm  | 42.00    | 32.00      | 1344.00      |
| 4                      | Supplying, laying and compacting instant ready mix Bitumen Product of CAT's instant patch/EsmacPR/Shel Mac PR or equivalent product for filling of potholes and repair of wearing course and compacting levelling them in proper way etc. complete as per direction of E.I.C.                                                                                                                                                | cum  | 1.05     | 80019.47   | 84020.44     |
| 5                      | <b>Flagman</b><br>Positioning of a smart flagman with a yellow vest and a yellow cap and a red flag 600 x 600 mm securely fastened to a staff 1 m in length for guiding the traffic.<br>(complete rate)                                                                                                                                                                                                                      | Each | 6.00     | 631.05     | 3786.30      |
| 6                      | <b>Traffic Cone</b><br>Provision of red fluorescent with white reflective sleeve traffic cone made of low density polyethylene (LDPE) material with a square base of 390 x 390 x 35mm and a height of 770mm, 4 kg in weight, placed at 1.5m interval, all as per BS 873.                                                                                                                                                     | RM   | 10.00    | 913.12     | 9131.20      |
| Total Estimated Amount |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          | =          | 99636.63     |
|                        |                                                                                                                                                                                                                                                                                                                                                                                                                              |      |          |            |              |

  
**Bholanath Sahoo**  
 Joint Project Manager (Works)